




Addmast Lighting Poles India Pvt. Ltd.


Committed to Excellence

ISO 9001: 2015 Certified company

www.addmast.in

About us

From a Humble beginning in 2001, ADDMAST LIGHTING POLES INDIA PRIVATE LIMITED is one of the most developed ancillaries for Various Sectors of the Industry and has a wide range of Mechanical, Electrical products and Stationary Systems with PSUs, all Central Government and Private Organizations. Over the years, the company has grown from strength to strength. The company is committed to achieving international standards of performance in quality, cost and delivery. AddMAST takes pride in its values and ethical practices and it's environmentally friendly.



Addmast Lighting Poles India PVT. LTD is a leading manufacturer of Steel Tubular Poles, Swaged Tubular Poles, Electric High Mast, Solar High Mast, Solar Street Lights, Flag Masts, Octagonal / Polygonal Poles, Stadium Masts, and Signage Masts. Our product range can be customized to meet specific client requirements. We adhere to ISO standards, ensuring our products meet the highest quality benchmarks. With nearly two decades of expertise, AddMAST has established itself as a renowned brand in pole manufacturing across India. We proudly serve PSUs, all Central / State Governments, and private organizations, delivering exceptional products.

Headquartered in the heart of Howrah's Industrial Belt, Addmast Lighting Poles India Pvt. Ltd. has consistently transformed the industry through its unwavering commitment to innovation and technological advancements. Our dedicated team strives to push the boundaries of manufacturing excellence, achieving our goals with precision and efficiency. We envision becoming the preferred brand for all manufacturing needs, setting new standards in the industry.

Mission:

At Addmast Lighting Poles India Pvt. Ltd., we are dedicated to providing exceptional quality products and services at highly competitive prices. Our commitment to excellence ensures that our customers receive the best value proposition in the industry.




Hot-Dip Galvanized Octagonal Poles

At Addmast, we take pride in crafting the finest quality octagonal poles for a diverse range of applications. With years of experience and a commitment to excellence, we stand as a trusted name in the industry, offering innovative solutions and superior products to meet your specific needs.

Our products, crafted with precision engineering and high-quality materials, our octagonal poles are designed to offer durability, strength, and aesthetic appeal. Available in various heights, designs, and finishes, our poles cater to a wide array of applications, including street lighting, utility poles, traffic signalling, and more.

Sr. No.	Height of Pole	Top Dia(mm)	Bottom Dia(mm)	Thickness(mm)	Base Plate(mm)	Base Plate Thickness(mm)	Foundation Bolt Details(mm)
1.	3	70	135	3	200X200	12	M16
2.	4	70	135	3	200X200	12	M16
3.	5	70	135	3	220X220	12	M16
4.	6	70	135	3	220X220	12	M16
5.	7	70	135	3	220X220	12	M20
6.	8	70	135	3	220X220	16	M20
	8	70	155	3	260X260	16	M20
7.	9	70	155	3	260X260	16	M20
	9	70	175	3	275X275	16	M20
	9	100	200	3	300X300	16	M20
8.	10	70	155	3	260X260	16	M20
	10	70	175	3	275X275	16	M20
	10	100	200	3	300X300	20	M24
9.	11	70	175	3	275X275	20	M24
	11	100	200	3	300X300	20	M24
10.	12	100	200	3	300X300	20	M24



High Mast Lighting Systems

“Lighting our streets and facilities one High Mast at a time” a motto we grow by. At AddMAST we take pride in being a premier provider of high mast poles, dedicated to delivering unparalleled solutions for superior outdoor lighting. With a relentless commitment to innovation, quality and customer satisfaction, we stand as a beacon in the industry, providing high mast poles that redefine standards.


This product is the stone on which the foundations of AddMAST are laid on. Manufactured conforming to IS standards and withstand able to wind speeds as per IS 875(part-3), our masts have proven to be highly reliable so much so that we have received great recognitions to help make a name for us in the industry.

Design Standards followed and Material Specifications

- IS: 875-PART 3
- BS 5649-1985 (EN40-2)
- Mast and Pole Shaft – BS EN 10025 / IS: 2062
- Foundation – IS : 2062 Gr. E250A
- Base Plate – IS : 2062 Gr. E250A
- Galvanization – IS : 4759 / 2629

Areas of Installation

- Roads and Streets
- Railway Station
- Airport
- Gardens
- Shopping Complexes
- Sports Complexes
- Residential Complexes
- Commercial Zones
- Towns and Villages



HIGH MAST TECHNICAL FEATURES

Sr. no	Height of mast	No of. Luminaire	Top A/F (in mm)	Bottom A/F (in mm)	No of. Section	Section Length			Section Wise Thickness			Base plate (in mm)	Thickness of base plate	P.C.D (in mm)	Foundation bolt Details	Approximate Weight of Shaft with Foundation Bot It (in kg)
						Top	Middle	bottom	Top	Middle	bottom					
1	9000	4-6	120	300	1	9000			3			480	16	380	M24X750X6	18
	9000	4-6	125	310	1	9000			3			500	16	400	M24X750X6	18
	9000	4-6	150	340	1	9000			3			520	16	440	M24X750X6	18
2	10000	6-8	150	340	2	5250	X	5250	3	X	3	520	16	440	M24X750X6	18
3	12000	6-8	150	340	2	6250	X	6250	3	X	3	520	16	440	M24X750X6	18
4	12500	6-8	150	360	2	6250	X	6250	3	X	3	540	16	460	M24X750X6	18
5	16000	6-9	150	360	2	8375	X	8375	3	X	3	540	20	460	M24X750X6	18
	16000	9-12	150	410	2	8375	X	8375	3	X	3	600	20	500	M24X750X8	24
	16000	12-16	150	460	2	8375	X	8375	3	X	4	650	20	550	M24X750X8	24
6	20000	6-9	150	360	2	10375	X	10375	3	X	4	540	20	460	M24X750X8	24
	20000	9-12	150	410	2	10375	X	10375	3	X	4	600	25	500	M24X750X8	24
	20000	12-16	200	460	2	10375	X	10375	3	X	4	650	25	550	M24X750X8	24
7	25000	6-9	150	460	3	8850	8850	8850	3	4	4	650	25	550	M30X850X12	66
	25000	9-12	150	480	3	8850	8850	8850	3	4	5	650	25	550	M30X850X12	66
	25000	16-20	200	520	3	8850	8850	8850	4	4	5	700	30	610	M30X850X12	66
8	30000	6-9	150	540	3	10650	10650	10650	3	4	5	740	30	650	M30X850X12	66
	30000	9-12	150	600	3	10650	10650	10650	4	4	5	820	30	700	M30X850X12	66
	30000	16-20	200	610	3	10650	10650	10650	4	5	6	820	30	700	M30X850X12	66

ACCESSORIES



- Section wise pole division as per requirements.
- Corrosion Resistance and Anti-rust Treatment for High End Finish

Swaged Tubular Street Poles

Addmast stands as a beacon of excellence in the manufacturing of tubular poles, offering innovative solutions for a multitude of applications. With a steadfast commitment to quality, durability and customer 0encompasses a diverse range of tubular poles meticulously crafted to meet the demands of various industries. Engineered with precision and manufactured using top-grade materials, our tubular poles are renowned for their robustness, longevity, and versatility. Whether for street lighting, telecommunications, security cameras, or decorative purposes, Addmast has a solution to suit your needs.

Tolerances

Outside Diameter	$\pm 1\%$
Thickness	± 10
Length	
On the Length of any section	± 40 mm
On the overall length of pole	± 25 mm
Weight	
For Bulk Supplies	$\pm 7.5\%$
For Single Pole	$\pm 10\%$
Straightness	
The finished pole shall not be out of straightness by more than 1/1600 of its length	

Areas of Installation

- Street Lighting
- Traffic Lighting & Signage
- Telecommunications
- Utility Distribution
- CCTV and Security
- Sports and Recreation
- Architectural and Decorative
- Flagpoles and Banners




TABLE 2 SWAGED POLES MADE FROM STEEL OF ULTIMATE TENSILE STRENGTH 410 Mpa (42kgf/mm3)

IS : 2713 (Part II) -1980 (Clauses 2.1and 5.1)								
DESIGNATION	OVER ALL LENGTH	HEIGHT ABOVE GROUND	LENGTH OF SECTION			OUT SIDE DIAMETER AND THICKNESS OF SECTION		
	L	H	BOTTOM	MIDDLE	TOP	BOTTOM	MIDDLE	TOP
	m	m	m	m	m	mm	mm	mm
410 SP-1	7.00	5.75	4.00	1.50	1.50	114.3 X 3.65	88.9 X 3.25	76.1X3.25
410 SP-2	7.00	5.75	4.00	1.50	1.50	114.3 X 4.50	88.9 X4.05	76.1X3.25
410 SP-3	7.00	5.75	4.00	1.50	1.50	114.3 X 5.40	88.9 X 4.85	76.1X3.25
410 SP-4	7.50	6.25	4.50	1.50	1.50	114.3 X 3.65	88.9 X 3.25	76.1X3.25
410 SP-5	7.50	6.25	4.50	1.50	1.50	114.3 X 4.50	88.9 X4.05	76.1X3.25
410 SP-6	7.50	6.25	4.50	1.50	1.50	114.3 X 5.40	88.9 X 4.85	76.1X3.25
410 SP-7	7.50	6.25	4.50	1.50	1.50	139.7 X 4.50	114.3 X 3.65	88.9 X 3.25
410 SP-8	7.50	6.25	4.50	1.50	1.50	139.7 X 4.85	114.3 X 3.65	88.9 X 3.25
410 SP-9	7.50	6.25	4.50	1.50	1.50	139.7 X 5.40	114.3 X 3.65	88.9 X 3.25
410 SP-10	8.00	6.50	4.50	1.75	1.75	114.3 X 3.65	88.9 X 3.25	76.1X3.25
410 SP-11	8.00	6.50	4.50	1.75	1.75	114.3 X 4.50	88.9 X4.05	76.1X3.25
410 SP-12	8.00	6.50	4.50	1.75	1.75	114.3 X 5.40	88.9 X 4.85	76.1X3.25
410 SP-13	8.00	6.50	4.50	1.75	1.75	139.7 X 4.50	114.3 X 3.65	88.9X3.25
410 SP-14	8.00	6.50	4.50	1.75	1.75	139.7 X 4.85	114.3 X 4.50	88.9X3.25
410 SP-15	8.00	6.50	4.50	1.75	1.75	139.7 X 5.40	114.3 X 4.50	88.9X3.25
410 SP-16	8.50	7.00	5.00	1.75	1.75	114.3 X 3.65	88.9 X 3.25	76.1X3.25
410 SP-17	8.50	7.00	5.00	1.75	1.75	114.3 X 4.50	88.9 X4.05	76.1X3.25
410 SP-18	8.50	7.00	5.00	1.75	1.75	114.3 X 5.40	88.9 X 4.85	76.1X3.25
410 SP-19	8.50	7.00	5.00	1.75	1.75	139.7 X 4.50	114.3 X 3.65	88.9X3.25
410 SP-20	8.50	7.00	5.00	1.75	1.75	139.7 X 4.85	114.3 X 3.65	88.9X3.25
410 SP-21	8.50	7.00	5.00	1.75	1.75	139.7 X 5.40	114.3 X 4.50	88.9X3.25
410 SP-22	8.50	7.00	5.00	1.75	1.75	165.1 X 4.50	139.7 X 4.50	114.3X3.65
410 SP-23	8.50	7.00	5.00	1.75	1.75	165.1 X 4.85	139.7 X 4.50	114.3X3.65
410 SP-24	8.50	7.00	5.00	1.75	1.75	165.1 X 5.40	139.7 X 4.50	114.3X3.65
410 SP-25	9.00	7.50	5.00	2.00	2.00	114.3 X 3.65	88.9 X 3.25	76.1X3.25
410 SP-26	9.00	7.50	5.00	2.00	2.00	114.3 X 4.50	88.9 X 4.05	76.1X3.25
410 SP-27	9.00	7.50	5.00	2.00	2.00	114.3 X 5.40	88.9 X 4.85	76.1X3.25
410 SP-28	9.00	7.50	5.00	2.00	2.00	139.7X4.50	114.3 X 3.65	88.9 X 3.25
410 SP-29	9.00	7.50	5.00	2.00	2.00	139.7X4.85	114.3 X 4.50	88.9 X 3.25
410 SP-30	9.00	7.50	5.00	2.00	2.00	139.7X5.40	114.3X4.50	88.9 X 3.25
410 SP-31	9.00	7.50	5.00	2.00	2.00	165.1X4.50	139.7 X 4.50	114.3X3.65
410 SP-32	9.00	7.50	5.00	2.00	2.00	165.1X4.85	139.7 X 4.50	114.3X3.65
410 SP-33	9.00	7.50	5.00	2.00	2.00	165.1X5.40	139.7 X 4.50	114.3X3.65
410 SP-34	9.50	7.70	5.00	2.25	2.25	139.7X4.50	114.3X4.50	88.9 X 3.25
410 SP-35	9.50	7.70	5.00	2.25	2.25	139.7X4.85	114.3 X 4.50	88.9 X 3.25
410 SP-36	9.50	7.70	5.00	2.25	2.25	139.7X5.40	114.3X4.50	88.9 X 3.25
410 SP-37	9.50	7.70	5.00	2.25	2.25	165.1X4.50	139.7 X 4.50	114.3X3.65
410 SP-38	9.50	7.70	5.00	2.25	2.25	165.1X4.85	139.7 X 4.50	114.3X3.65
410 SP-39	9.50	7.70	5.00	2.25	2.25	165.1X5.40	139.7 X 4.50	114.3X3.65
410 SP-40	10.00	8.20	5.20	2.40	2.40	139.7X4.50	114.3X4.50	88.9 X 3.25
410 SP-41	10.00	8.20	5.20	2.40	2.40	139.7X4.85	114.3 X 4.50	88.9 X 3.25
410 SP-42	10.00	8.20	5.20	2.40	2.40	139.7X5.40	114.3X4.50	88.9 X 3.25
410 SP-43	10.00	8.20	5.20	2.40	2.40	165.1X4.50	139.7 X 4.50	114.3X3.65
410 SP-44	10.00	8.20	5.20	2.40	2.40	165.1X4.85	139.7 X 4.50	114.3X3.65
410 SP-45	10.00	8.20	5.20	2.40	2.40	165.1X5.40	139.7 X 4.50	114.3X3.65
410 SP-46	10.00	8.20	5.20	2.40	2.40	193.7X4.85	165.1X4.50	139.7X4.50
410 SP-47	10.00	8.20	5.20	2.40	2.40	193.7X5.40	165.1X4.50	139.7X4.50
410 SP-48	10.00	8.20	5.20	2.40	2.40	193.7X5.90	165.1X4.50	139.7X4.50
410 SP-49	11.00	9.20	5.60	2.70	2.70	139.7X4.50	114.3X4.50	88.9 X 3.25
410 SP-50	11.00	9.20	5.60	2.70	2.70	139.7X4.85	114.3 X 4.50	88.9 X 3.25
410 SP-51	11.00	9.20	5.60	2.70	2.70	139.7X5.40	114.3X5.40	88.9 X 3.25
410 SP-52	11.00	9.20	5.60	2.70	2.70	165.1X4.50	139.7 X 4.50	114.3X3.65
410 SP-53	11.00	9.20	5.60	2.70	2.70	165.1X4.85	139.7 X 4.50	114.3X3.65
410 SP-54	11.00	9.20	5.60	2.70	2.70	165.1X5.40	139.7 X 4.50	114.3X3.65
410 SP-55	11.00	9.20	5.60	2.70	2.70	193.7X4.85	165.1X4.50	139.7X4.50
410 SP-56	11.00	9.20	5.60	2.70	2.70	193.7X5.40	165.1X4.50	139.7X4.50
410 SP-57	11.00	9.20	5.60	2.70	2.70	193.7X5.90	165.1X4.85	139.7X4.50
412 SP-58	12.00	10.00	5.80	3.10	3.10	165.1X4.50	139.7 X 4.50	114.3X3.65
413 SP-59	12.00	10.00	5.80	3.10	3.10	165.1X4.85	139.7 X 4.50	114.3X3.65
414 SP-60	12.00	10.00	5.80	3.10	3.10	165.1X5.40	139.7 X 4.50	114.3X3.65
415 SP-61	12.00	10.00	5.80	3.10	3.10	193.7X4.85	165.1X4.50	139.7X4.50
416 SP-62	12.00	10.00	5.80	3.10	3.10	193.7X5.40	165.1X4.50	139.7X4.50
417 SP-63	12.00	10.00	5.80	3.10	3.10	193.7X5.90	165.1X4.85	139.7X4.50

Camera Mast



Swan Neck Pole




Decorative Pole



Flag Mast

We at AddMAST are doing our part so that “Jhanda Ucha Rahe Hamara” is not an Understatement.

The sheer forces acting on a flag mast makes it important for us to design and build them with the best possible man and material. At Add MAST, we specialize in designing and manufacturing high-quality flag masts that stand as symbols of pride, prestige, and excellence. With a commitment to precision engineering and aesthetic appeal, we offer flag mast solutions that enhance the visual impact of any location.



Stadium Mast

At AddMAST, we understand the pivotal role stadium lighting plays in creating unforgettable experiences for athletes and spectators alike. Our team of seasoned engineers and craftsmen harnesses cutting-edge technologies and industry-leading practices to deliver bespoke solutions tailored to the unique needs of each project. From towering floodlight structures to sleek, streamlined designs, our diverse portfolio showcases our unwavering dedication to precision engineering and superior craftsmanship.

Signage Mast

At AddMAST, we understand that signage is more than just a means of communication—it's a powerful expression of identity and vision. That's why our team of skilled engineers and designers works tirelessly to create signature mast solutions that seamlessly integrate form and function, leaving a lasting impression on every viewer. From towering monoliths to sleek, architectural marvels, our diverse portfolio showcases our ability to transform concepts into tangible, awe-inspiring realities.



High Mast Lighting System




Octagonal Lighting System



All-In-One Street Lighting System







Our Client



Addmast Lighting Poles India Pvt. Ltd.

Committed to Excellence

ISO 9001: 2015 Certified company

Subsidiary of **SHREE KRISHNA INDUSTRIES**

Regd. Office & Works :
Lakshmanpur Industrial Estate,
P.O- Lakshmanpur, P.S-Domjur, Howrah – 711 114,

Branch address :
2D, Block – B, Jaishri Green City,
Argora, Ranchi – 834002, Jharkhand.

+91 9681030903 / 7980088270 / 7439149747

addmast.lighting@gmail.com

www.addmast.in

